

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S32	6623	(headless or head?less or blind) near3 (device or computer or PC or unit or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 16:53
S33	220	(alternat\$4 near3 rout\$4 near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 16:25
S34	46	S33 with (table or list or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 16:25
S35	1	S32 with ((self?configur\$7) or (auto\$configur\$7) or (autom\$6 near2 configur\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:12
S36	167	S32 with configur\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:13
S37	6634	(headless or head?less or blind) near3 (device or computer or PC or unit or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:12
S38	17	S37 with ((initia\$4 or start\$4 or commence\$5 or launch\$4 or set\$4) near3 (configur\$7 or re\$configur\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:24
S39	5	S37 with ((send\$4 or request\$4 or ask\$4) near3 (configur\$7 or re\$configur\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:22
S40	4	S37 with (broad\$cast)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:28

S41	3987	(server or router or switch) with ((request\$4 or ask\$4) near3 (configur\$7 or re\$configur\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:51
S42	2761	(server or router or switch) near4 ((request\$4 or ask\$4) near3 (configur\$7 or re\$configur\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:27
S43	1197	S42 with (address or data or info or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:30
S44	0	S43 and @ad<="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:29
S45	0	S43 and @ad<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:29
S46	91	S43 and @py<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:36
S47	133	S43 and DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:33
S48	6316	(request\$4 or ask\$4) near4 (configur\$7 or re\$configur\$7) near4 (data or info or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:33
S49	302	S48 and DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:35
S50	2476	S48 and (configur\$7 near3 (server or router or switch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:39

S51	255	S50 and DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:44
S52	10	S51 and @py<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:36
S53	193	S48 and (configur\$7 near4 remote near4 (server or router or switch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:57
S54	27	S53 and DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:44
S55	99	(server or router or switch) near4 (transmit\$4 or transfer\$4 or send\$4) near4 discover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:53
S56	2	S55 and (configur\$7 near4 remote near4 (server or router or switch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:00
S57	8300	remote near2 configur\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:02
S58	323	S57 and DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:03
S59	1251	S57 with (server or router or switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:02
S60	97	S59 and DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:10

S61	2	("6286038").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 16:10
-----	---	-----------------	---	----	-----	------------------